



Pre-Season Program

2023



YOU.POWERED.

ENGINE CARE™



992230

450 SERIES™, 550 SERIES™, CLASSIC™, SPRINT™



992235

800 SERIES™, 850 SERIES™, 850 SERIES™ I/C*, 875 SERIES™



992231

450E SERIES™, 500E SERIES™



992240

VANGUARD™ V-TWIN MODEL 29, 30, 35 14HP – 20HP*



992232

550E SERIES™, 575EX SERIES™, 550EX SERIES™ ECO-PLUS™



992242

MODEL 21, SERIES 3 POWERBUILT™, INTEK™ I/C* OHV 21R5, 21R6, 21R7, 21R8



992244WM

625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM*



992243

MODEL 31, SERIES 4 INTEK™ I/C* OHV 31R7, 31R8, 31R9



992234

700 SERIES™, 750 SERIES™, 750 SERIES™ I/C*, DOV*, DOV* I/C*

FUEL FIT®



992380 / 992380FR

100ml


















992381 / 992381FR

250ml



ENGINE OIL

	100004E 0,5 L	x1		100048E 200 L	x1
	100005E 0,6 L	x1		100007W 1 L Winter Oil	x1
	100007E 1 L	x1		100007S 1 L Premium Oil	x1
	100006E 1,4 L	x1		100009S 5 L Premium Oil	x1
	100008E 2 L	x1		100007V 1 L Commercial Grade Oil	x1
	100009E 5 L	x1		100009V 5 L Commercial Grade Oil	x1
	100046E 25 L	x1		100047V 60 L Commercial Grade Oil	x1
	100047E 60 L	x1	FOR PRE-SEASON OIL PRICE, PLEASE CONTACT YOUR BRIGGS & STRATTON DISTRIBUTOR.		

SPARK PLUG SELECTION

SMALL VERTICAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
SERIES	450, 500, 550	09T5, 10T5, 10T6, 10T8	992300C (BS-SV-Cu)
E-SERIES	450E, 500E, 550E, 575EX, 550EX ECO PLUS™, 625E	08P5, 09P6, 09P7, 093J	692051†
SERIES / E-SERIES	625, 650, 675, 650 ECO PLUS™, 625E, 650E, 675EX, 650EX ECO PLUS™	122T, 124T, 126T, 124L	992300C (BS-SV-Cu)
EXI-SERIES / iS-SERIES	650EXi, 675EXi, 675iS INSTART®	103M, 104M	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV®	700, 700E	0906	992304 (BS-OHV)
SERIES DOV® / E-SERIES DOV® / iS-SERIES	750, 750EX, 750EX ECO PLUS™, 775iS INSTART®	1006	992304 (BS-OHV)
SERIES DOV® I/C® / E-SERIES DOV® I/C®	750EX	1008	992304 (BS-OHV)
SERIES / E-SERIES	800, 800E	11P9, 112P	992304 (BS-OHV)
SERIES	850, 875, 850 ECO PLUS™	12R9, 12S9, 122S, 122R	992304 (BS-OHV)
E-SERIES / iS-SERIES	850E, 875EX, 850EX ECO PLUS™, 875iS INSTART®	12R9, 12S9, 122S, 122R, 111P	992304 (BS-OHV)
E-SERIES / iS-SERIES	800EXi, 850E, 875EXi, 875iS INSTART®	115P, 123P, 125P	692051†
SERIES I/C® / E-SERIES I/C®	850	12Q9, 122Q	992304 (BS-OHV)
E-SERIES	950	14B9	992304 (BS-OHV)

LARGE VERTICAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
POWER BUILT™ OHV	10.5, 11.5, 12.5, 13.5	2158, 2178, 2198, 21B8, 21R5, 21R6, 21R7, 21R8	992304 (BS-OHV)
POWER BUILT™ OHV	14.5, 15.5, 16.5	31A5, 31A6, 31A7, 31R5, 31R6, 31R7, 31R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
POWER BUILT™ OHV	17.5, 18.5	31C7, 31N7	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	13.5	21B9, 21R8	992304 (BS-OHV)
INTEK™ OHV	17.5, 18.5, 19.5	31G7, 31P7, 31P6, 31R7, 31R8, 31R9	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ OHV	21.0	3318, 33R8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	16.0, 18.0, 20.0, 22.0	4015, 4055, 4067, 4077, 40R5, 40R6, 40N7, 40N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
INTEK™ V-TWIN OHV	23.0, 24.0	4455, 4456, 44N6, 44N8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ OHV	21.0	33M7, 33S8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	20.0, 22.0	40G7, 40H7, 40U7, 40U8	992304 (BS-OHV), 992306 (BS-OHV-HT)
PROFESSIONAL SERIES™ V-TWIN OHV	23.0, 24.0, 27.0	44L7, 44M7, 44U5, 44U6, 44U8, 44C8	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2957, 3057	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0, 20.0	3567, 3587	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	23.0	3867	992304 (BS-OHV), 992306 (BS-OHV-HT)

HORIZONTAL	PRODUCT RANGE	MODEL NUMBERS	SPARK PLUG REQUIRED
SERIES OHV	550	0831	797235†
SERIES OHV	750	1062	992304 (BS-OHV)
SERIES OHV	800, 900	1263, 1210	992304 (BS-OHV)
SERIES OHV	1450	2043	992304 (BS-OHV)
VANGUARD™ OHV	4.0	0864	992304 (BS-OHV)
VANGUARD™ OHV	5.5, 6.5	13H1, 13H3	992304 (BS-OHV)
VANGUARD™ OHV	7.5	1384	992304 (BS-OHV)
VANGUARD™ OHV	8.0, 10.0	19H1, 19H2	992304 (BS-OHV)
VANGUARD™ OHV	13.0	2454	992304 (BS-OHV)
VANGUARD™ V-TWIN OHV	14.0, 16.0	2954, 3054	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	18.0	3564	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ V-TWIN OHV	21.0, 23.0	3854, 3864	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	25.0, 27.0, 29.0, 31.0	5404, 5414, 5424, 5434	992304 (BS-OHV), 992306 (BS-OHV-HT)
VANGUARD™ BIG BLOCK™ V-TWIN OHV	33.0, 35.0	6114, 6134	992304 (BS-OHV), 992306 (BS-OHV-HT)

SPARK PLUGS



992300C
BS-SV-Cu

x1



992301C
BS-SV-Cu

x24



992304
BS-OHV

x1



992340
BS-OHV

x24



992306
BS-OHV-HT

x1

BS-SV-Cu: BRIGGS & STRATTON SIDE VALVE (COPPER CORE)
BS-OHV: BRIGGS & STRATTON OVERHEAD VALVE
BS-OHV-HT: BRIGGS & STRATTON OVERHEAD VALVE HIGH TEMPERATURE

450 SERIES™ | 500 SERIES™ | 550 SERIES™


CLASSIC™, SPRINT™, QUATTRO™ – 09x5, 09x9, 10x5, 10T6, 10x8, 10x9



272235S



4107



281505S



4204WM



698369



4216WM




499901



694394



4178




692299



795083



4251WM



790965




62m, Ø 3,2mm



497929S



4132



493880S



270344S



66538S



697316



222698S



4181



4144



281434S



**992230
ENGINE CARE**








































450 SERIES™, 550 SERIES™, CLASSIC™, SPRINT™



450E SERIES™ | 500E SERIES™ | 550E SERIES™ | 575EX SERIES™ | 575iS SERIES™











































08P5, 08P6, 09P6, 09P7, 09P8, 092J



	593260			594281	
	4247	593260 			
	593260M	593260 			
	799579			270344S	
	4248	799579 			
	799579M	799579 			
	591108			692076	
	799585			281434S	
	799580			799716	
	799587			222698S	
			4181	222698S 	
			4144	222698S 	
	692046			992231	
	4221	692046 		ENGINE CARE	
				450E SERIES™, 500E SERIES™	
	596250			992232	
				ENGINE CARE	
				550E SERIES™, 575EX SERIES™,	
				550EX SERIES™ ECO-PLUS	

625E SERIES™ | 650E SERIES™ | 675EX SERIES™
 QUANTUM® - 12xx



	491588S 4101 491588L	 x1  x5  x50		791850 4171 4229	 x1  x5  x100
	398188	 x1		698183	 x1
	498260	 x1		692046 4221	 x1  x5
	694395 4180	 x1  x5		270344S	 x1
	298090S 4105	 x1  x5		399781S	 x1
	395051R 7,5m - Ø int. 6,35mm, Ø ext. 11mm	 x1		692232 4182	 x1  x10
	691038 4230	 x1  x100		693981	 x1
	792020 7,5m - Ø int. 6,35mm, Ø ext. 13mm	 x1		795629 4156	 x1  x5



280399S



799716



281434S



493880S



281505S



66538S



4204WM

281505S



498144



222698S



4181

222698S



4144

222698S



790965

62m, Ø 3,2mm



**992244WM
ENGINE CARE**

625 SERIES™, 650 SERIES™, 675 SERIES™, QUANTUM®


































692299



625EXi SERIES™ OHV

093J



	593260 4247 593260M	  		792020 7,5m - Ø int. 6,35mm, Ø ext. 13mm	
	595191			791850 4171 4229	Ø 13mm  791850  791850 
	591108			692076	
	799585			281434S	
	799580			222698S 4181 4144	 222698S  222698S 
	799587				
	692046 4221	 			

650EXi SERIES™ | 675EXi SERIES™ | 675iS SERIES™

103M, 104M



593260
4247
593260M

x1

593260 x5

593260 x25



791850
4171
4229

Ø 13mm x1

791850 x5

791850 x100



595191

x1



692076

x1



591108

x1



281434S

x1



799580

x1



222698S
4181
4144

x1

222698S x10

222698S x50



799587

x1



596206

x1



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1

700E SERIES™ | 750EX SERIES™ | 775iS SERIES™

DOV® - 0906, 1006, 1008



792038

x1

4245

792038 x5



692046

x1

4221

692046 x5



793676

x1

4267

793676 x5



399781S

x1



298090S

x1

4105

298090S x5



691894

x1



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm

x1



280399S

x1



691038

Ø 11mm x1

4230

691038 x100



281434S

x1



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1



790965

62m, Ø 3,2mm

x1



791850

Ø 13mm x1

4171

791850 x5

4229

791850 x100



799716

x1




698183

x1



493880S

x1



222698S

4181

4144



222698S **x10**

222698S **x50**



992234
ENGINE CARE

DOV*, DOV* I/C*, 700 SERIES™, 750 SERIES™,
750 SERIES™ I/C*



66538S



VANGUARD

ENGINE APPROVED

POWERING PERFORMANCE
**IN THE TOUGHEST
CONDITIONS.**

**Fully Synthetic Commercial Grade
Engine Oil 15W-50 API-SN.**

Use the commercial grade engine oil that is as tough as the conditions you may encounter.

- > Reduced oil consumption.
- > Longer oil life.
- > Anti-wear protection.
- > For operating temperatures up to 50°C.
- > Cold starting as low as -10°C.*



#100007V

#100009V

* For use at lower temperatures use Briggs&Stratton® winter oil 5W30 API-SN/CF. Also available in a 20L barrel.

800E SERIES™ | 850E SERIES™ | 875EX SERIES™ | 875iS SERIES™

11P9, 12R9, 12S9, 12Q9, 121R, 111P



795066

x1

4240

795066 x5



692046

x1

4221

692046 x5



796254

x1

4261

796254 x5



399781S

x1



298090S

x1

4105

298090S x5



691894


x1



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm

x1



692232

x1

4182

692232 x10



691038

Ø 11mm x1

4230

691038 x100



280399S

x1



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm

x1



281434S

x1



791850

Ø 13mm x1

4171

791850 x5

4229

791850 x100



790965

62m, Ø 3,2mm

x1



698183

x1



799716

x1



493880S



795990



66538S



**992235
ENGINE CARE**

800 SERIES™, 850 SERIES™, 850 SERIES™ I/C,
875 SERIES™



222698S



4181

222698S



4144

222698S



Genuine parts matter.

Briggs & Stratton® Genuine Parts
are guaranteed to fit and built to last.

Preferred. Proven. **Guaranteed.**

800EXi SERIES™ | 850PXi SERIES™ | 875EXi SERIES™ | 875iS SERIES™

115P, 123P, 125P



595853

x1



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1



597266

x1



791850

Ø 13mm

x1

4171

791850

x5

4229

791850

x100



799580

x1



281434S

x1



222698S

x1

4181

222698S x10


4144

222698S x50



591108

x1



692232

x1

4182

692232 x10



596206

x1



399781S

x1



698183

x1



692076

x1



795990

x1

950PXi SERIES™

14B9, 14D9



795066



4240

795066



692046



4221

692046



796254



4261

796254



399781S



298090S



4105

298090S




691894



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm



692232



4182

692232



691038

Ø 11mm

4230

691038



281434S



697316



493880S



66538S



795990



















698183



INTEK™ INTEK™ PRO

12x6



	697029 4207WM	x1 697029 x4		792020 7,5m - Ø int. 6,35mm, Ø ext. 13mm	x1
	273356S 4201WM	x1 273356S x5		791850 4171 4229	Ø 13mm x1 791850 x5 791850 x100
	398188	x1		698183	x1
	694395 4180	x1 694395 x5		692046 4221	x1 692046 x5
	298090S 4105	x1 298090S x5		399781S	x1
	692513	x1		691894	x1
	395051R 7,5m - Ø int. 6,35mm, Ø ext. 11mm	x1		692232 4182	x1 692232 x10
	691038 4230	Ø 11mm x1 691038 x100		693981	x1



280399S

x1



790965

62m, Ø 3,2mm

x1



281434S

x1



799716

x1



281505S

x2



493880S

x1

4204WM

281505S x5



498144

x1



66538S

x1



692299

x1



222698S

x1

4181

222698S x10

4144

222698S x50

550 SERIES™ | XR 3,5

0831



796970



4238

796970



794641



394358S



4112

394358S



280399S



797346



691915



395051R

7,5m – Ø int. 6,35mm, Ø ext. 11mm



790965

62m, Ø 3,2mm



691038

Ø 11mm

4230

691038



797658



792020

7,5m – Ø int. 6,35mm, Ø ext. 13mm



797325



791850

Ø 13mm

4171

791850

4229

791850



797286



750 SERIES™ | XR 5,0

1062



590601

x1



691915

x1



590602

x1



790965

62m, Ø 3,2mm

x1



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm

x1



797658

x1



691038

Ø 11mm x1



794641

x1

4230

691038 x100



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1



797346

x1



791850

Ø 13mm x1



394358S

x1

4171

791850 x5

4112

394358S x5

4229

791850 x100



280399S


x1



590716

x1

800 SERIES™ | 900 SERIES™
POWERBUILT™ - 1263, 1210



491588S
4101
491588L

x1
491588S x5
491588S x50



281434S

x1



493537S
4147

x1
493537S x5



281505S

x2

4204WM

281505S x5



398188

x1



498144

x1



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1



692299

x1



791850
4171
4229

Ø 13mm x1
791850 x5
791850 x100



790965

62m, Ø 3,2mm

x1



795027

x1



798619

x1



281370S

4203WM

x1
281370S x5



281658S

x1



693981

x1



1350 SERIES™ | 1450 SERIES™

INTEK™, INTEK™ I/C® – 2013, 2043



	491588S	
4101	491588S	
491588L	491588S	

	498144	
---	---------------	---

	792020	
75m – Ø int. 6,35mm, Ø ext. 13mm		


	692299	
---	---------------	---

	791850	Ø 13mm 
4171	791850	
4229	791850	

	790965	
62m, Ø 3,2mm		

	795027	
---	---------------	---

	798619	
---	---------------	---

	281434S	
---	----------------	---

	281658S	
---	----------------	---

	281505S	
4204WM	281505S	

INTEK™ PRO

1213, 1214



697029



4207WM

697029



281370S



4203WM

281370S



273356S



4201WM

273356S



693981



398188



280399S



395051R



7,5m – Ø int. 6,35mm, Ø ext. 11mm



281434S



691038

Ø 11mm

4230

691038



281505S



4204WM

281505S



792020



7,5m – Ø int. 6,35mm, Ø ext. 13mm



498144



791850

Ø 13mm

4171

791850

4229

791850



692299



795027



790965



62m, Ø 3,2mm




798619



281658S



Briggs & Stratton Marketing Portal














































Be the point of knowledge and expertise for your customers

Visit our marketing portal to gain access to our library of images, videos, literature and web banners; all available to help boost your online presence and increase customer engagement.

www.bascomarketing.eu/briggsandstratton

POWERBUILT™ I/C® I/C® QUIET
DIAMOND™ I/C® HIGH PERFORMANCE I/C®
I/C® OHV INTEK™ OHV 28xx, 3107, 3117, 3127, 3137



	496894S 4139	 x1 496894S  x4		792020 7,5m – Ø int. 6,35mm, Ø ext. 13mm	 x1
	272403S 4142	 x1 272403S  x5		791850 4171 4229	Ø 13mm  x1 791850  x5 791850  x100
	298090S 4105	 x1 298090S  x5		698183	 x1
	84001895 84001895M	 x1 84001895  x5		281370S 4203WM	 x1 281370S  x5
	491056 4153	 x1 491056  x12		281505S 4204WM	 x2 281505S  x5
	492932S 4154	 x1 492932S  x12		790966 62m, Ø 3.6mm	 x1
	395051R 7,5m – Ø int. 6,35mm, Ø ext. 11mm	 x1		497595	 x1
	691038 4230	Ø 11mm  x1 691038  x100		593935	 x1



695708



4194

695708



691909



493880S



692424



66538S



SERIES 3 | 3000E SERIES™
POWERBUILT™ I/C® INTEK™ 21x7, 21x8, 21x9




794421



4213

794421



697292



4212WM

697292



591583



4269

591583



298090S



4105

298090S



84001895



84001895M

84001895



491056



4153

491056



492932S



4154

492932S



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm



791850

Ø 13mm

4171

791850

4229

791850



698183



281505S



4204WM

281505S



790966

62m, Ø 3.6mm



593934



593935



695708



4194

695708



691909





692424



992242
ENGINE CARE
MODEL 21, SERIES 3 POWERBUILT™,
INTEK™ I/C* OHV 21R5, 21R6, 21R7, 21R8



SERIES 4 | 4000E SERIES™
I/C® INTEK™ 31x5, 31x6, 31x7



794422



4214WM

794422 **x6**



492932S



4154

492932S **x12**



795115



4211WM

795115 **x6**



395051R



7,5m - Ø int. 6,35mm, Ø ext. 11mm



697015



4215

697015 **x5**



691038

Ø 11mm **x1**

4230

691038 **x100**



594201



4243

594201 **x5**



792020



7,5m - Ø int. 6,35mm, Ø ext. 13mm



797704



4259

797704 **x5**



791850

Ø 13mm **x1**

4171

791850 **x5**

4229

791850 **x100**



298090S



4105

298090S **x5**



698183



84001895



84001895M

84001895 **x5**



281505S



4204WM

281505S **x5**



491056



4153

491056 **x12**



790966



62m, Ø 3.6mm



593934

x1



691909

x1



593935

x1



692424

x1



695708

x1

4194

695708 x5



992243
ENGINE CARE

MODEL 31, SERIES 4 INTEK™ I/C° OHV
31R7, 31R8, 31R9

x1



66538S

x1



493880S

x1

SERIES 7 INTEK™ | PROFESSIONAL SERIES™ | 7000EXI SERIES™ 40x5, 40x6, 40x7, 40x8
SERIES 8 INTEK™ | PROFESSIONAL SERIES™ | 8000EXI SERIES™ 44x5, 44x6, 44x7
SERIES 8 COMMERCIAL SERIES™ | 8000PXI SERIES™ 44T8



	499486S	x1		84001895	x1
	4223	499486S x6		84001895M	84001895 x5
	792101	x1		491056	x1
	4268	792101 x5		4153	491056 x12
	273638S	x1		492932S	x1
	4256	273638S x6		4154	492932S x12
	792105	x1		395051R	x1
	4233	792105 x4		7,5m - Ø int. 6,35mm, Ø ext. 11mm	
	792303	x1		691038	Ø 11mm x1
	798897	x1		4230	691038 x100
	4250	798897 x5		792020	x1
	594201	x1		7,5m - Ø int. 6,35mm, Ø ext. 13mm	
	4243	594201 x5		791850	Ø 13mm x1
	298090S	x1		4171	791850 x5
	4105	298090S x5		4229	791850 x100
				698183	x1



695708

4194



695708



493880S



593935



66538S



VANGUARD™ 4,1 - 4,9 GROSS kW*

13H1, 13L1, 13H3, 13L3



797033



4239

797033



794641



798513



490652



4130

490652



792917



790966



62m, Ø 3.6mm



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm



493880S



691038

Ø 11mm



4230

691038



798619



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm



791850

Ø 13mm



4171

791850



4229

791850



VANGUARD™ 6,0 - 7,5 GROSS kW*

19H1, 19L1, 19H2, 19L2



797032

x1



794641

x1



798795

x1



490652

x1

4130

490652

x5



792917

x1



790966

x1

62m, Ø 3.6mm



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm

x1



493880S

x1



691038

Ø 11mm

x1



691909

x1

4230

691038

x100



792020

7,5m - Ø int. 6,35mm, Ø ext. 13mm

x1



798503

x1



791850

Ø 13mm

x1

4171

791850

x5

4229

791850

x100

VANGUARD™ 10,4 - 13,4 GROSS kW*

29x4, 29x7, 30x4, 30x7, 35x4



394018S

x1

4135

394018S x4



698183

x1



272490S

x1

4111

272490S x6



792020

x1

7,5m - Ø int. 6,35mm, Ø ext. 13mm



84001895

x1

84001895M

84001895 x5



791850

Ø 13mm x1

4171

791850 x5

4229

791850 x100



491056

x1

4153

491056 x12



281370S

x1

4203WM

281370S x5



492932S

x1

4154

492932S x12



790967

x1

62m, Ø 4,4mm



842921

x1

4237

842921 x12



695708

x1

4194

695708 x5



395051R

7,5m - Ø int. 6,35mm, Ø ext. 11mm

x1



493880S

x1



691038

Ø 11mm x1

4230

691038 x100



692076

x1

VANGUARD™ 13,4 - 17,2 GROSS kW*

35x7, 38x4, 3867



692519

x1

4232

692519 x5



692076

x1



692520

x1

4257

692520 x5



792020

x1

7,5m - Ø int. 6,35mm, Ø ext. 13mm



84001895

x1

84001895M

84001895 x5



791850

Ø 13mm x1

4171

791850 x5

4229

791850 x100



491056

x1

4153

491056 x12



698183

x1



492932S

x1

4154

492932S x12



281370S

x1

4203WM

281370S x5



842921

x1

4237

842921 x12



790967

x1

62m, Ø 4,4mm



395051R

x1

7,5m - Ø int. 6,35mm, Ø ext. 11mm



695708

x1

4194

695708 x5



691038

Ø 11mm x1

4230

691038 x100



493880S

x1

YOU. POWERED.™

At the end of the day, a job well done is its own reward. Our equipment is there to help make it happen. It's easy to master, durable and ready for a challenge. Just like you.



BRIGGS & STRATTON AG
WOLLERAUSTRASSE 41, 8807 FREIENBACH, SWITZERLAND
TEL: +41 (0)55 415 1200
WWW.BRIGGSandSTRATTON.COM

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. © 2022 Briggs & Stratton AG. All rights reserved.



YOU. POWERED.